

Before the
FEDERAL COMMUNICATIONS COMMISSION
Washington, D.C. 20554

In the Matter of

City of Beacon, Fire Department, New York	)	DA 26-620
Waiver Request to License a UHF Channel Pair	)	File No: 0011998698
From the Industrial/Business Pool	)	

To: Chief, Public Safety and Homeland Security Bureau

**REPLY COMMENTS
OF THE
ENTERPRISE WIRELESS ALLIANCE**

The Enterprise Wireless Alliance (“EWA”) hereby Replies to the early-filed Forest Industries Telecommunications (“FIT”) Reply Comments (“FIT Reply”) submitted in this proceeding. FIT concurred in the assignment of a UHF Industrial/Business (“I/B”) channel to the Beacon Fire Department (“Beacon” or “Applicant”) as requested in the Applicant’s Waiver Request (“Waiver Request”). FIT challenges EWA’s Comments opposing grant of the Waiver Request claiming EWA “does not question APCO’s conclusion that no assignable Public Safety Pool UHF channels are available...” and asserting that “EWA’s comment largely address policy considerations regarding shared-channel operation that are already governed by the Commission’s existing Part 90 rules.”¹

FIT seemingly misunderstands the fundamental issue in this matter. EWA’s Comments did agree that APCO may have identified no assignable Public Safety (“PS”) channels. However, as EWA stated that is **only** because APCO applied what it described as “coordination protocols

¹ FIT Reply at 1. EWA supports Beacon’s request for an additional channel with the technical specifications in its application. As detailed below, its issue is not with Beacon’s request but with the justification from APCO that the solution must be an I/B channel.

and/or frequency limitations” that award exclusivity protection rights to all PS licensees, rights that are not found in the FCC rules.

Part 90 UHF spectrum is shared spectrum. All licensees are required to cooperate in the use of their assigned channels by monitoring before transmitting and taking other precautions to avoid interference with co-channel systems operating in the same area.² The only exceptions are centralized trunked systems that meet the requirements of Section 90.187(d) and thereby qualify for centralized trunked FB8 status. Qualification as FB8 requires a detailed contour analysis defined in Section 90.187(d)(1).³ The trunked rules include the following provisions that distinguish the rights and obligations of UHF trunked systems:

The exclusive service area of a station that has been authorized for centralized trunked operation will be protected from proposed centralized trunked, decentralized trunked or conventional operations in accordance with the standards of [paragraph \(d\)](#) of this section.⁴

Except as provided in [paragraphs \(c\)](#) and [\(d\)](#) of this section, trunked systems operating under this section must employ equipment that prevents transmission on a trunked frequency if a signal from another system is present on that frequency. The level of monitoring must be sufficient to avoid harmful interference to other systems.⁵

The Part 90 rules do not distinguish PS from I/B licenses for purposes of awarding rights to channel exclusivity, *i.e.* the right not to have to share the channel with subsequent applicants. Pursuant to those rules, APCO could assert that there was not a single PS UHF channel that Beacon could share only if all such channels qualified for an “exclusive service area...that has been authorized for centralized trunked operation.”

² See 47 C.F.R. §§ 90.403(c) and (e).

³ Contrary to FIT’s assertion, the interference analyses it provided are not the analyses used by FACs in the normal coordination process or in the analysis for determining centralized trunked status in Section 90.187(d)(1)(ii)(B) where co-channel protection criteria use the contour calculations specified in the rule. Adjacent channel analyses include a derating factor agreed to by the Frequency Advisory Committees (“FACs”).

⁴ 47 C.F.R. § 90.187(e).

⁵ 47 C.F.R. § 90.187(b).

That is not the case. As shown on Attachment A, ULS identifies 109 PS licensees within 50 miles of Beacon's proposed site. Only five are licensed for trunked operations, and only four include FB8 channels that identify them as centralized trunked systems that qualify for protected status. The remaining 104 licenses are classified as conventional systems that are not entitled to exclusive protected service areas under any FCC rule.

In fact, APCO and other PS FACs treat all, or effectively all, PS channel assignments as exclusive, irrespective of whether they qualify for exclusivity under the only Part 90 rule section that authorizes that protected status. Not surprisingly, when all PS channels are protected, it is difficult to find a PS channel for a new applicant like Beacon in a congested market. The PS solution is to see if a PS incumbent whose contours overlap with the applicant will agree to share its spectrum by signing a Letter of Consent. If not, PS takes the position that there are no assignable channels. It is on that basis that APCO certified Beacon as entitled to seek waiver relief for an I/B channel, and FIT endorsed the request.


EWA is indifferent to the protocols APCO uses to assign PS channels even if they are not consistent with the FCC rules that define what systems are entitled to protected status. It does object when those protocols are used to justify waiver access to I/B spectrum that is assigned in accordance with FCC rules. Moreover, as stated in its Comments, given the decades-long PS claim that it requires dedicated allocations and spectrum set-asides because it cannot share channels with I/B licensees, it is mystifying that APCO believes Beacon would be better served by sharing an I/B channel and thus be subject to monitoring requirements that could delay critical public safety

communications, rather than sharing a channel with one of the 104 PS conventional systems in the area.⁶

If the Federal Communications Commission concludes that the PS coordination protocols are acceptable and justify waiver relief on the basis of PS channel unavailability, EWA requests that those same protocols be used to determine I/B channel availability. Consent should be required of I/B incumbents whose service contours would be overlapped by the PS applicant's interference contour. This requirement will serve to protect I/B licensees from the risk of claims that they interfered with vital public safety communications and award the PS applicant the same protection it would enjoy on a PS channel.

Respectfully submitted,

ENTERPRISE WIRELESS ALLIANCE

By: 
Robin J. Cohen
President/CEO
13221 Woodland Park Road
Suite 410
Herndon, Virginia 20171
(703) 528-5115

Counsel:

Elizabeth R. Sachs
Lukas, LaFuria, Lantor & Sachs, LLP
8350 Broad St., Ste. 1450
Tysons, VA 22102
(703) 584-8678

July 30, 2026

⁶ FIT notes that Beacon has not requested waivers of Sections 90.403(c) and (e). FIT Reply at 2. FIT also states that the UHF repeater Beacon proposes to use has been in operation for more than a decade without interference problems. But the tolerance of a fire department for delayed transmissions and potential interference is likely different than that of the presumably I/B users that have been operating on the A I Communications system.

ATTACHMENT A

Call Sign	Licensee Name	R/S	Trunked/ Conventional	Frequency	Station Class	Dist (mi)
KB41601	NY STATE DEPT OF TRANS	PW	Conventional	453.4375	MO	16.2
KB41601	NY STATE DEPT OF TRANS	PW	Conventional	453.6125	MO	16.2
KB41601	NY STATE DEPT OF TRANS	PW	Conventional	453.7625	MO	16.2
KB41601	NY STATE DEPT OF TRANS	PW	Conventional	458.0625	MO	16.2
KB41601	NY STATE DEPT OF TRANS	PW	Conventional	458.1375	MO	16.2
KB41601	NY STATE DEPT OF TRANS	PW	Conventional	458.4375	MO	16.2
KB41601	NY STATE DEPT OF TRANS	PW	Conventional	458.6125	MO	16.2
KB41601	NY STATE DEPT OF TRANS	PW	Conventional	458.7625	MO	16.2
KD51541	ORANGE LAKE FIRE DISTRICT	PW	Conventional	465.6125	MO	2.77
KDB409	VAILS GATE FIRE DISTRICT	PW	Conventional	453.6	FB2	2.29
KDB409	VAILS GATE FIRE DISTRICT	PW	Conventional	458.6	MO	2.36
KDB409	VAILS GATE FIRE DISTRICT	PW	Conventional	460.6125	MO	2.36
KEB706	WAPPINGERS FALLS, VILLAGE OF	PW	Conventional	465.4875	MO	7.87
KEB891	POUGHKEEPSIE, CITY OF	PW	Conventional	453.4875	FB2	16.73
KEB891	POUGHKEEPSIE, CITY OF	PW	Conventional	458.4875	MO	16.73
KED763	MONTROSE FIRE DISTRICT	PW	Conventional	460.25	FB2	17.06
KED763	MONTROSE FIRE DISTRICT	PW	Conventional	465.25	MO	17.25
KED862	THOMAS C. LANNON, SR., PUTNAM, COUNTY OF	PW	Conventional	453.6875	MO	16.58
KEF498	KATONAH FIRE DISTRICT	PW	Conventional	460.0125	MO	24.13
KEF498	KATONAH FIRE DISTRICT	PW	Conventional	465.0125	MO	24.13
KEI603	LAKE MOHEGAN FIRE DISTRICT	PW	Conventional	453.275	FB2	15.36
KEI603	LAKE MOHEGAN FIRE DISTRICT	PW	Conventional	453.65	FB2	15.36
KEI603	LAKE MOHEGAN FIRE DISTRICT	PW	Conventional	458.65	MO	15.36
KGL596	NORTH SALEM VOLUNTEER AMBULANCE CORPS	PW	Conventional	457.875	FXO	22.92
KGL596	NORTH SALEM VOLUNTEER AMBULANCE CORPS	PW	Conventional	452.875	FXO	24.93
KGW661	BEACON, CITY OF FIRE DEPARTMENT	PW	Conventional	453.6375	FB2	4.06
KGW661	BEACON, CITY OF FIRE DEPARTMENT	PW	Conventional	458.6375	MO	4.06
KGW661	BEACON, CITY OF FIRE DEPARTMENT	PW	Conventional	460.4	FB	4.06

Call Sign	Licensee Name	R/S	Trunked/ Conventional	Frequency	Station Class	Dist (mi)
KIG615	FISHKILL, TOWN OF	PW	Conventional	460.4375	FB	6.77
KIG615	FISHKILL, TOWN OF	PW	Conventional	465.4375	FX1	6.77
KJP291	PEEKSKILL COMMUNITY VOLUNTEER AMBULANCE CORP	PW	Conventional	453.3	FX2	14.98
KJP291	PEEKSKILL COMMUNITY VOLUNTEER AMBULANCE CORP	PW	Conventional	458.3	FX1	14.99
KJZ998	QUASSAICK BRIDGE FIRE DISTRICT	PW	Conventional	460.125	FB2	3.44
KJZ998	QUASSAICK BRIDGE FIRE DISTRICT	PW	Conventional	465.125	MO	3.44
KKV530	GREATER BRIDGEPORT TRANSIT DISTRICT	PW	Conventional	452.85	FB2	47.73
KKV530	GREATER BRIDGEPORT TRANSIT DISTRICT	PW	Conventional	457.85	MO	47.73
KKV530	GREATER BRIDGEPORT TRANSIT DISTRICT	PW	Conventional	461.3875	MO	47.73
KNAG568	CIRCLEVILLE FIRE DISTRICT	PW	Conventional	465.5625	MO	16.56
KNAK515	BEACON, CITY OF	PW	Conventional	453.325	FB2	3.58
KNAK515	BEACON, CITY OF	PW	Conventional	458.325	MO	4.08
KNDS794	GARDINER FIRE DISTRICT	PW	Conventional	458.6875	MO	14.32
KNFP321	CRONOMER VALLEY FIRE DISTRICT	PW	Conventional	460.575	FB2	3.44
KNFP321	CRONOMER VALLEY FIRE DISTRICT	PW	Conventional	460.6	FB2	3.44
KNFP321	CRONOMER VALLEY FIRE DISTRICT	PW	Conventional	460.625	FB2	3.44
KNFP321	CRONOMER VALLEY FIRE DISTRICT	PW	Conventional	465.575	MO	4.92
KNJ567	CITY OF NEW YORK	PW	Conventional	458.9	FX1	41.04
KNHB511	HIGHLAND FALLS, VILLAGE OF	PW	Conventional	453.9375	MO	9.02
KNHB511	HIGHLAND FALLS, VILLAGE OF	PW	Conventional	460.4125	FB2	9.02
KNHB511	HIGHLAND FALLS, VILLAGE OF	PW	Conventional	465.4125	MO	9.02
KNIQ331	NEW YORK STATE DEPARTMENT OF CORRECTIONS AND COMMUNITY SUPERVISION	PW	Conventional	460.225	FB2	5.9
KNIQ331	NEW YORK STATE DEPARTMENT OF CORRECTIONS AND COMMUNITY SUPERVISION	PW	Conventional	465.225	MO	5.9
KRA529	NEW YORK STATE THRUWAY AUTHORITY	PW	Conventional	453.425	FB2	6.69
KRA529	NEW YORK STATE THRUWAY AUTHORITY	PW	Conventional	453.525	FB2	6.69
KRA529	NEW YORK STATE THRUWAY AUTHORITY	PW	Conventional	458.425	MO	6.69
KRA529	NEW YORK STATE THRUWAY AUTHORITY	PW	Conventional	458.525	MO	6.69
KRA529	NEW YORK STATE THRUWAY AUTHORITY	PW	Conventional	460.0875	MO	6.69

Call Sign	Licensee Name	R/S	Trunked/ Conventional	Frequency	Station Class	Dist (mi)
KRA529	NEW YORK STATE THRUWAY AUTHORITY	PW	Conventional	460.1375	MO	6.69
KRA529	NEW YORK STATE THRUWAY AUTHORITY	PW	Conventional	460.3125	FB2	6.69
KRA529	NEW YORK STATE THRUWAY AUTHORITY	PW	Conventional	460.3625	MO	6.69
KRA529	NEW YORK STATE THRUWAY AUTHORITY	PW	Conventional	465.0875	MO	6.69
KRA529	NEW YORK STATE THRUWAY AUTHORITY	PW	Conventional	465.3125	MO	6.69
KRA529	NEW YORK STATE THRUWAY AUTHORITY	PW	Conventional	465.3625	MO	6.69
KRW403	PORT AUTHORITY OF NEW YORK AND NEW JERSEY	PW	Conventional	453.475	FB2	3.09
KSZ753	EAST FISHKILL, TOWN OF	PW	Conventional	460.05	MO	13.53
KSZ753	EAST FISHKILL, TOWN OF	PW	Conventional	460.375	MO	13.53
KSZ753	EAST FISHKILL, TOWN OF	PW	Conventional	465.05	FX1	13.53
KSZ753	EAST FISHKILL, TOWN OF	PW	Conventional	465.375	FX1	13.53
KZW911	WESTCHESTER, COUNTY OF	PW	Conventional	462.9875	MO	30.71
KZW911	WESTCHESTER, COUNTY OF	PW	Conventional	463.0875	MO	30.71
KZW911	WESTCHESTER, COUNTY OF	PW	Conventional	463.1125	MO	30.71
KZW911	WESTCHESTER, COUNTY OF	PW	Conventional	463.1375	MO	30.71
KZW911	WESTCHESTER, COUNTY OF	PW	Conventional	463.1625	MO	30.71
KZW911	WESTCHESTER, COUNTY OF	PW	Conventional	463.1875	MO	30.71
KZW911	WESTCHESTER, COUNTY OF	PW	Conventional	467.9875	MO	30.71
KZW911	WESTCHESTER, COUNTY OF	PW	Conventional	468.0875	MO	30.71
KZW911	WESTCHESTER, COUNTY OF	PW	Conventional	468.1125	MO	30.71
KZW911	WESTCHESTER, COUNTY OF	PW	Conventional	468.1375	MO	30.71
KZW911	WESTCHESTER, COUNTY OF	PW	Conventional	468.1625	MO	30.71
KZW911	WESTCHESTER, COUNTY OF	PW	Conventional	468.1875	MO	30.71
WNCH867	EMPRESS AMBULANCE SERVICE INC	PW	Conventional	467.95	MO	18.27
WNDU949	SLATE HILL FIRE DISTRICT	PW	Conventional	458.375	MO	19.28
WNKR311	SHAWANGUNK, TOWN OF	PW	Conventional	453.7375	FB2	13.64
WNKR311	SHAWANGUNK, TOWN OF	PW	Conventional	458.7375	MO	13.64
WNKR311	SHAWANGUNK, TOWN OF	PW	Conventional	460.025	FB2	13.64
WNKR311	SHAWANGUNK, TOWN OF	PW	Conventional	465.025	MO	13.64
WNMH372	ULSTER, COUNTY OF	PW	Conventional	467.975	MO	26.15

Call Sign	Licensee Name	R/S	Trunked/ Conventional	Frequency	Station Class	Dist (mi)
WNMH372	ULSTER, COUNTY OF	PW	Conventional	456.15	FX1	30.06
WNMH372	ULSTER, COUNTY OF	PW	Conventional	451.15	FX2	40.77
WNMU345	BRIARCLIFF MANOR, VILLAGE OF	PW	Conventional	458.8	MO	25.87
WNPA788	GARRISON VOLUNTEER AMBULANCE CORP	PW	Conventional	462.9625	MO	11.49
WNPA788	GARRISON VOLUNTEER AMBULANCE CORP	PW	Conventional	467.9625	MO	11.49
WNQC875	NEW YORK STATE THRUWAY AUTHORITY	PW	Conventional	460.2125	MO	17.54
WNQC875	NEW YORK STATE THRUWAY AUTHORITY	PW	Conventional	465.2125	MO	17.54
WNRF205	MONTGOMERY, TOWN OF	PW	Conventional	453.825	FB2	9.93
WNRF205	MONTGOMERY, TOWN OF	PW	Conventional	458.825	MO	9.93
WNRW404	WALLKILL, TOWN OF	PW	Conventional	460.35	MO	17.04
WNRW404	WALLKILL, TOWN OF	PW	Conventional	465.35	MO	17.04
WNRW404	WALLKILL, TOWN OF	PW	Conventional	460.275	FB2	17.16
WNUA365	CRONOMER VALLEY FIRE DEPT	PW	Conventional	453.15	FB2	3.82
WNUN217	BANTAM FIRE COMPANY INC	PW	Conventional	452.225	FB2	44.63
WNUN217	BANTAM FIRE COMPANY INC	PW	Conventional	457.225	MO	44.63
WNVK359	ORANGE LAKE FIRE DISTRICT	PW	Conventional	460.075	FB2	3.44
WNVK359	ORANGE LAKE FIRE DISTRICT	PW	Conventional	465.075	MO	3.44
WNVK359	ORANGE LAKE FIRE DISTRICT	PW	Conventional	453.8125	FB2	3.47
WNVK359	ORANGE LAKE FIRE DISTRICT	PW	Conventional	453.85	FB2	3.47
WNVK359	ORANGE LAKE FIRE DISTRICT	PW	Conventional	458.8125	MO	3.47
WNVK359	ORANGE LAKE FIRE DISTRICT	PW	Conventional	458.85	MO	3.47
WNVY974	TRI BORO VOLUNTEER AMBULANCE CORPS	PW	Conventional	453.0125	MO	31.02
WPCP817	WASHINGTONVILLE FIRE DISTRICT	PW	Conventional	453.55	FB2	6.22
WPCP817	WASHINGTONVILLE FIRE DISTRICT	PW	Conventional	453.0625	MO3	7.09
WPCP817	WASHINGTONVILLE FIRE DISTRICT	PW	Conventional	453.1	FB2	7.09
WPCP817	WASHINGTONVILLE FIRE DISTRICT	PW	Conventional	453.9875	MO3	7.09
WPCP817	WASHINGTONVILLE FIRE DISTRICT	PW	Conventional	458.1	MO	7.09
WPCP817	WASHINGTONVILLE FIRE DISTRICT	PW	Conventional	458.4625	MO3	7.09
WPCP817	WASHINGTONVILLE FIRE DISTRICT	PW	Conventional	458.55	MO	7.09
WPCP817	WASHINGTONVILLE FIRE DISTRICT	PW	Conventional	458.75	MO3	7.09

Call Sign	Licensee Name	R/S	Trunked/ Conventional	Frequency	Station Class	Dist (mi)
WPCV243	SHAWANGUNK VALLEY FIRE DISTRICT	PW	Conventional	453.9625	MO	15.19
WPEU883	MAYBROOK FIRE DISTRICT	PW	Conventional	453.2875	MO	9.3
WPEU883	MAYBROOK FIRE DISTRICT	PW	Conventional	453.725	FB2	9.3
WPEU883	MAYBROOK FIRE DISTRICT	PW	Conventional	458.2875	MO	9.3
WPEU883	MAYBROOK FIRE DISTRICT	PW	Conventional	458.7125	MO	9.3
WPEU883	MAYBROOK FIRE DISTRICT	PW	Conventional	458.725	MO	9.3
WPEW348	ARLINGTON FIRE DISTRICT	PW	Conventional	460.2	FB2	16.36
WPEW348	ARLINGTON FIRE DISTRICT	PW	Conventional	465.2	MO	16.36
WPFT638	NEW HAMPTON FIRE DISTRICT	PW	Conventional	453.45	MO	20.08
WPGH685	MECHANICSTOWN FIRE DISTRICT	PW	Conventional	453.95	FB2	17.29
WPGH685	MECHANICSTOWN FIRE DISTRICT	PW	Conventional	458.95	MO	17.29
WPGH685	MECHANICSTOWN FIRE DISTRICT	PW	Conventional	458.675	MO	17.75
WPGV746	CITY OF NEW YORK	PW	Conventional	458.625	MO	31.04
WPIC967	LAGRANGE FIRE DISTRICT	PW	Conventional	453.2	FB2	17.4
WPIC967	LAGRANGE FIRE DISTRICT	PW	Conventional	458.2	MO	17.4
WPKF636	DANBURY HOSPITAL	PW	Conventional	468.2875	MO	31.54
WPKK717	NEW HACKENSACK FIRE DISTRICT	PW	Conventional	453.125	FB2	12.1
WPLE879	MONTGOMERY FIRE DISTRICT	PW	Conventional	453.0375	MO	10.43
WPLE879	MONTGOMERY FIRE DISTRICT	PW	Conventional	453.3125	FB	10.43
WPLE879	MONTGOMERY FIRE DISTRICT	PW	Conventional	458.0375	MO	10.43
WPLE879	MONTGOMERY FIRE DISTRICT	PW	Conventional	458.3125	MO	10.43
WPLE879	MONTGOMERY FIRE DISTRICT	PW	Conventional	460.5	FB	10.43
WPLE879	MONTGOMERY FIRE DISTRICT	PW	Conventional	465.5	MO	12.12
WPLV871	MOBILE LIFE SUPPORT SVCS	PW	Conventional	463.0125	MO	6.44
WPLV871	MOBILE LIFE SUPPORT SVCS	PW	Conventional	463.0375	MO	6.44
WPLV871	MOBILE LIFE SUPPORT SVCS	PW	Conventional	463.0625	MO	6.44
WPLV871	MOBILE LIFE SUPPORT SVCS	PW	Conventional	468.0125	MO	6.44
WPLV871	MOBILE LIFE SUPPORT SVCS	PW	Conventional	468.0375	MO	6.44
WPLV871	MOBILE LIFE SUPPORT SVCS	PW	Conventional	468.0625	MO	6.44
WPMR275	WALLKILL FIRE DISTRICT	PW	Conventional	460.5125	MO	10.83

Call Sign	Licensee Name	R/S	Trunked/ Conventional	Frequency	Station Class	Dist (mi)
WPMR275	WALLKILL FIRE DISTRICT	PW	Conventional	465.5125	MO	10.83
WPPH607	ROCKLAND, COUNTY OF	PW	Conventional	458.9625	MO	23.7
WPQE389	EAST FISHKILL, TOWN OF	YW	Trunked	460.0375	FB8	14.5
WPQE389	EAST FISHKILL, TOWN OF	YW	Trunked	460.1875	FB8	14.5
WPQE389	EAST FISHKILL, TOWN OF	YW	Trunked	460.3875	FB8	14.5
WPQE389	EAST FISHKILL, TOWN OF	YW	Trunked	460.55	FB8	14.5
WPQE389	EAST FISHKILL, TOWN OF	YW	Trunked	465.0375	MO	14.5
WPQE389	EAST FISHKILL, TOWN OF	YW	Trunked	465.1875	MO	14.5
WPQE389	EAST FISHKILL, TOWN OF	YW	Trunked	465.3875	MO	14.5
WPQE389	EAST FISHKILL, TOWN OF	YW	Trunked	465.55	MO	14.5
WPSK841	MONROE JOINT FIRE DISTRICT	PW	Conventional	453.05	FB2	12.85
WPSK841	MONROE JOINT FIRE DISTRICT	PW	Conventional	458.05	MO	14.33
WPTK360	COUNTY OF DUTCHESS	PW	Conventional	453.4125	FB2	9.46
WPTK360	COUNTY OF DUTCHESS	PW	Conventional	458.4125	MO	9.46
WPUV891	EAST FISHKILL TOWN OF	PW	Conventional	458.15	MO	14.81
WPVV434	COLDENHAM FIRE DISTRICT	PW	Conventional	460.3	FB2	3.44
WPVV434	COLDENHAM FIRE DISTRICT	PW	Conventional	453.1125	MO	5.65
WPVV434	COLDENHAM FIRE DISTRICT	PW	Conventional	453.8875	MO	5.65
WPVV434	COLDENHAM FIRE DISTRICT	PW	Conventional	453.9125	MO	5.65
WPVV434	COLDENHAM FIRE DISTRICT	PW	Conventional	458.1125	MO	5.65
WPVV434	COLDENHAM FIRE DISTRICT	PW	Conventional	458.8875	MO	5.65
WPVV434	COLDENHAM FIRE DISTRICT	PW	Conventional	458.9375	MO	5.65
WPVV434	COLDENHAM FIRE DISTRICT	PW	Conventional	460.2375	FB	5.65
WPVV434	COLDENHAM FIRE DISTRICT	PW	Conventional	465.2375	MO	5.65
WPVV434	COLDENHAM FIRE DISTRICT	PW	Conventional	465.3	MO	5.65
WPVV972	PORT AUTHORITY OF NEW YORK AND NEW JERSEY	PW	Conventional	453.975	FB2	3.09
WPVV972	PORT AUTHORITY OF NEW YORK AND NEW JERSEY	PW	Conventional	458.975	MO	3.09
WPZT277	NEW YORK STATE DEPARTMENT OF CORRECTIONS AND COMMUNITY SUPERVISION	PW	Conventional	453.4	FB	4.71

Call Sign	Licensee Name	R/S	Trunked/ Conventional	Frequency	Station Class	Dist (mi)
WPZT277	NEW YORK STATE DEPARTMENT OF CORRECTIONS AND COMMUNITY SUPERVISION	PW	Conventional	453.575	FB	4.71
WPZT277	NEW YORK STATE DEPARTMENT OF CORRECTIONS AND COMMUNITY SUPERVISION	PW	Conventional	458.575	MO	5.48
WPZT601	NEW YORK STATE CORRECTIONS AND COMMUNITY SUPERVISION	PW	Conventional	453.675	MO	5.48
WPZT601	NEW YORK STATE CORRECTIONS AND COMMUNITY SUPERVISION	PW	Conventional	453.775	FB	5.48
WPZT601	NEW YORK STATE CORRECTIONS AND COMMUNITY SUPERVISION	PW	Conventional	458.775	MO	5.48
WPZU836	BEEKMAN FIRE DISTRICT	PW	Conventional	458.8625	MO	19.51
WQAB823	NYDOCCS	PW	Conventional	453.875	FB2	5.92
WQAB823	NYDOCCS	PW	Conventional	458.4	MO	5.92
WQAB823	NYDOCCS	PW	Conventional	458.875	MO	5.92
WQAB833	NYDOCCS	PW	Conventional	453.25	MO	11.83
WQAB833	NYDOCCS	PW	Conventional	458.5	MO	11.83
WQBD683	POCATELLO FIRE DISTRICT	PW	Conventional	453.175	FB2	21.65
WQBU382	GREENWOOD LAKE JOINT FIRE DISTRICT #1	PW	Conventional	458.45	MO	22.17
WQCP823	NEW HAMBURG FIRE DISTRICT	PW	Conventional	453.75	FB2	12.22
WQCY607	FISHKILL, VILLAGE OF - FIRE DEPT	PW	Conventional	453.7	FB2	8.05
WQCY607	FISHKILL, VILLAGE OF - FIRE DEPT	PW	Conventional	458.7	MO	8.05
WQGY510	CITY OF NEW YORK	PW	Conventional	458.6625	MO	17.29
WQIE774	BULLVILLE FIRE DISTRICT	PW	Conventional	460.975	FX2	22.49
WQJL671	BLOOMING GROVE VOLUNTEER AMBULANCE CORPS	PW	Conventional	453.7875	MO3	7.51
WQJL671	BLOOMING GROVE VOLUNTEER AMBULANCE CORPS	PW	Conventional	458.7875	MO	7.51
WQKR532	PEEKSKILL, CITY OF	PW	Conventional	453.375	FXO	13.89
WQMN838	ORANGE COUNTY - DEPARTMENT OF EMERGENCY SERVICES	PW	Conventional	458.9125	MO	1.88
WQMN838	ORANGE COUNTY - DEPARTMENT OF EMERGENCY SERVICES	PW	Conventional	453.1375	MO	15.59
WQMN838	ORANGE COUNTY - DEPARTMENT OF EMERGENCY SERVICES	PW	Conventional	458.2125	MO	15.59
WQMN838	ORANGE COUNTY - DEPARTMENT OF EMERGENCY SERVICES	PW	Conventional	458.2625	MO	15.59
WQMN838	ORANGE COUNTY - DEPARTMENT OF EMERGENCY SERVICES	PW	Conventional	458.9875	MO	15.59
WQMN838	ORANGE COUNTY - DEPARTMENT OF EMERGENCY SERVICES	PW	Conventional	460.5875	MO	15.59
WQMN838	ORANGE COUNTY - DEPARTMENT OF EMERGENCY SERVICES	PW	Conventional	465.5875	MO	15.59

Call Sign	Licensee Name	R/S	Trunked/ Conventional	Frequency	Station Class	Dist (mi)
WQOF296	WAPPINGERS FALLS FIRE DEPARTMENT	PW	Conventional	453.5875	FB2	9.49
WQOF296	WAPPINGERS FALLS FIRE DEPARTMENT	PW	Conventional	458.5875	MO	9.49
WQOF296	WAPPINGERS FALLS FIRE DEPARTMENT	PW	Conventional	458.275	MO	9.94
WQOF296	WAPPINGERS FALLS FIRE DEPARTMENT	PW	Conventional	465.625	MO	9.94
WQOJ277	MODENA FIRE DISTRICT	PW	Conventional	453.075	FB2	12.89
WQOJ277	MODENA FIRE DISTRICT	PW	Conventional	453.0875	MO	12.89
WQOJ277	MODENA FIRE DISTRICT	PW	Conventional	458.0875	MO	12.89
WQOJ277	MODENA FIRE DISTRICT	PW	Conventional	465.1625	MO	12.89
WQON381	POUGHKEEPSIE CITY OF	PW	Conventional	460.325	FB2	16.73
WQON381	POUGHKEEPSIE CITY OF	PW	Conventional	465.325	MO	16.73
WQPD859	SULLIVAN, COUNTY OF - DIVISION OF PUBLIC WORKS	PW	Conventional	460.0625	FB2	21.69
WQPG515	COLD SPRING FIRE COMPANY 1	PW	Conventional	460.6375	MO	6.48
WQPG515	COLD SPRING FIRE COMPANY 1	PW	Conventional	465.6375	MO	6.48
WQPI754	ORANGE COUNTY - DEPARTMENT OF EMERGENCY SERVICES	PW	Conventional	460.2625	FB	11.28
WQPI754	ORANGE COUNTY - DEPARTMENT OF EMERGENCY SERVICES	PW	Conventional	465.2625	MO	11.36
WQQZ821	WALLKILL FIRE DISTRICT	PW	Conventional	453.3875	FB2	13.33
WQQZ821	WALLKILL FIRE DISTRICT	PW	Conventional	458.3875	MO	13.33
WQQZ821	WALLKILL FIRE DISTRICT	PW	Conventional	460.1125	FB2	13.33
WQQZ821	WALLKILL FIRE DISTRICT	PW	Conventional	465.1125	MO	13.33
WQRL742	NEW YORK STATE OFFICE OF PARKS AND RECREATION (OPRHP)	PW	Conventional	460.35625	FB2	12.33
WQRL742	NEW YORK STATE OFFICE OF PARKS AND RECREATION (OPRHP)	PW	Conventional	465.35625	MO	12.33
WQSL542	ROMBOUT FIRE DISTRICT	PW	Conventional	460.175	FB2	9.74
WQSL542	ROMBOUT FIRE DISTRICT	PW	Conventional	465.175	MO	9.74
WQTF605	ORANGE COUNTY - DEPARTMENT OF EMERGENCY SERVICES	PW	Conventional	453.2125	FB2	3.39
WQTF605	ORANGE COUNTY - DEPARTMENT OF EMERGENCY SERVICES	PW	Conventional	453.4625	FB2	3.39
WQTF605	ORANGE COUNTY - DEPARTMENT OF EMERGENCY SERVICES	PW	Conventional	453.7125	FB2	3.39
WQTF605	ORANGE COUNTY - DEPARTMENT OF EMERGENCY SERVICES	PW	Conventional	453.8625	FB2	3.39
WQTP470	ARLINGTON FIRE DISTRICT	PW	Conventional	458.475	MO	16.48
WQUH908	CHURCH COMMUNITIES FOUNDATION	YW	Trunked	460.475	FB2	8.35
WQUH908	CHURCH COMMUNITIES FOUNDATION	YW	Trunked	465.475	MO	8.35

Call Sign	Licensee Name	R/S	Trunked/ Conventional	Frequency	Station Class	Dist (mi)
WQUS434	MILTON FIRE DISTRICT	PW	Conventional	453.8375	FB2	10.36
WQUS434	MILTON FIRE DISTRICT	PW	Conventional	458.8375	MO	10.36
WQUS434	MILTON FIRE DISTRICT	PW	Conventional	465.6	MO	12.54
WQUS434	MILTON FIRE DISTRICT	PW	Conventional	460.425	FB2	16.36
WQUS434	MILTON FIRE DISTRICT	PW	Conventional	465.425	MO	16.36
WQVU393	ROOSEVELT FIRE DISTRICT	PW	Conventional	458.25	MO	16.27
WQWS996	MARLBOROUGH FIRE DISTRICT	PW	Conventional	453.1625	MO	8.94
WQWS996	MARLBOROUGH FIRE DISTRICT	PW	Conventional	453.5625	MO	8.94
WQWS996	MARLBOROUGH FIRE DISTRICT	PW	Conventional	458.1625	MO	8.94
WQWS996	MARLBOROUGH FIRE DISTRICT	PW	Conventional	460.5375	MO	8.94
WQWS996	MARLBOROUGH FIRE DISTRICT	PW	Conventional	465.5375	MO	8.94
WQXF331	PHILIPSTOWN NORTH HIGHLAND FIRE DISTRICT	PW	Conventional	460.2875	FB2	7.7
WQXF331	PHILIPSTOWN NORTH HIGHLAND FIRE DISTRICT	PW	Conventional	465.2875	MO	7.7
WQXL767	EAST FISHKILL FIRE DISTRICT	PW	Conventional	453.5	FB2S	11.45
WQXL767	EAST FISHKILL FIRE DISTRICT	PW	Conventional	460.4875	MO	14.5
WQXL767	EAST FISHKILL FIRE DISTRICT	PW	Conventional	460.5625	MO	14.5
WQYB209	COUNTY OF DUTCHESS	PW	Conventional	453.625	FB2	3.44
WQYB209	COUNTY OF DUTCHESS	PW	Conventional	453.8	FB2	3.44
WQYB209	COUNTY OF DUTCHESS	PW	Conventional	453.9	FB2	3.44
WQYB209	COUNTY OF DUTCHESS	PW	Conventional	453.925	FB2	3.44
WQYB209	COUNTY OF DUTCHESS	PW	Conventional	460.45	FB2	3.44
WRBL386	NEWBURGH CITY FIRE DEPARTMENT	PW	Conventional	460.4625	FB2	2.21
WRBL386	NEWBURGH CITY FIRE DEPARTMENT	PW	Conventional	465.4625	MO	2.21
WRCX871	HALDANE CENTRAL SCHOOL	PW	Conventional	453.35	FB2	6.37
WRCX871	HALDANE CENTRAL SCHOOL	PW	Conventional	458.35	MO	6.37
WRDJ817	MIDDLEHOPE FIRE DISTRICT	PW	Conventional	453.225	FB2	5.3
WRDJ817	MIDDLEHOPE FIRE DISTRICT	PW	Conventional	458.225	MO	5.3
WRER323	WALLKILL VOLUNTEER AMBULANCE CORP	PW	Conventional	465.4	MO	9.17
WRER323	WALLKILL VOLUNTEER AMBULANCE CORP	PW	Conventional	453.5125	FB2	10.78
WRER323	WALLKILL VOLUNTEER AMBULANCE CORP	PW	Conventional	458.5125	MO	10.78

Call Sign	Licensee Name	R/S	Trunked/ Conventional	Frequency	Station Class	Dist (mi)
WRER323	WALLKILL VOLUNTEER AMBULANCE CORP	PW	Conventional	465.0625	MO	10.78
WRPT609	NEW YORK STATE THRUWAY AUTHORITY	YW	Trunked	453.5375	FB8	12.87
WRPT609	NEW YORK STATE THRUWAY AUTHORITY	YW	Trunked	458.5375	MO8	12.87
WRPT609	NEW YORK STATE THRUWAY AUTHORITY	YW	Trunked	460.1625	FB8	17.32
WRUL880	NEW YORK STATE THRUWAY AUTHORITY	YW	Trunked	453.1875	FB8	6.69
WRUL880	NEW YORK STATE THRUWAY AUTHORITY	YW	Trunked	458.1875	MO8	6.69
WRUL880	NEW YORK STATE THRUWAY AUTHORITY	YW	Trunked	465.1375	MO8	6.69
WRUR871	NEW YORK CITY POLICE DEPARTMENT	PW	Conventional	458.925	MO	49.41
WRWU807	SILVER LAKE FIRE DISTRICT	PW	Conventional	453.6625	FB2	16.66
WRWU807	SILVER LAKE FIRE DISTRICT	PW	Conventional	458.5625	MO	18.26
WRXX592	GLENHAM FIRE DISTRICT	PW	Conventional	453.3375	FB2	0
WRXX592	GLENHAM FIRE DISTRICT	PW	Conventional	458.3375	MO	0
WSAA537	CROTON ON HUDSON, VILLAGE OF	PW	Conventional	453.025	FB2	19.75
WSB916	KENT FIRE DISTRICT 1	PW	Conventional	465.275	FXO	11.75
WSFY366	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	463	FB	1.83
WSFY366	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	463.025	FB	1.83
WSFY366	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	463.05	FB	1.83
WSFY366	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	463.075	FB	1.83
WSFY366	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	463.1	FB	1.83
WSFY366	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	463.125	FB	1.83
WSFY366	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	463.15	FB	1.83
WSFY366	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	463.175	FB	1.83
WSII220	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	458.025	MO	3.63
WSII220	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	458.075	MO	3.63
WSII220	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	458.125	MO	3.63
WSII220	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	458.175	MO	3.63
WSII220	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	462.95	FB	3.63
WSII220	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	462.975	FB	3.63
WSII220	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	468	MO	3.63
WSII220	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	468.025	MO	3.63

Call Sign	Licensee Name	R/S	Trunked/ Conventional	Frequency	Station Class	Dist (mi)
WSII220	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	468.05	MO	3.63
WSII220	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	468.075	MO	3.63
WSII220	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	468.1	MO	3.63
WSII220	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	468.125	MO	3.63
WSII220	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	468.15	MO	3.63
WSII220	ST. LUKES CORNWALL HOSPITAL	PW	Conventional	468.175	MO	3.63
WSJR566	SALISBURY MILLS FIRE DISTRICT	PW	Conventional	453.2375	FB2	5.08
WSJR566	SALISBURY MILLS FIRE DISTRICT	PW	Conventional	453.2625	MO	5.08
WSJR566	SALISBURY MILLS FIRE DISTRICT	PW	Conventional	458.2375	MO	5.08
WSJV963	VILLAGE OF SOUTH BLOOMING GROVE	YW	Trunked	460.3375	FB8	11.14
WSJV963	VILLAGE OF SOUTH BLOOMING GROVE	YW	Trunked	465.3375	MO8	11.14
WSKC608	VILLAGE OF CORNWALL ON HUDSON FIRE DEPARTMENT DBA STORM KING ENGINE COMPANY	PW	Conventional	460.15	FB2	3.44
WSKC608	VILLAGE OF CORNWALL ON HUDSON FIRE DEPARTMENT DBA STORM KING ENGINE COMPANY	PW	Conventional	465.15	MO	3.44
WSKC608	VILLAGE OF CORNWALL ON HUDSON FIRE DEPARTMENT DBA STORM KING ENGINE COMPANY	PW	Conventional	460.525	FB	3.56
WSKC608	VILLAGE OF CORNWALL ON HUDSON FIRE DEPARTMENT DBA STORM KING ENGINE COMPANY	PW	Conventional	465.525	MO	3.56
WSMF986	PEEKSKILL, CITY OF	PW	Conventional	460.1	FB2	14.96
WSMF986	PEEKSKILL, CITY OF	PW	Conventional	465.1	MO	14.96
WSMF986	PEEKSKILL, CITY OF	PW	Conventional	465.45	MO	14.96
WZU973	WOODBURY, VILLAGE OF	PW	Conventional	453.3625	FB	10.83
WZU973	WOODBURY, VILLAGE OF	PW	Conventional	458.3625	FX1	10.83